

Round baler vital statistics

ROUND BALERS

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density	Weight - single axle/twin axle	List price ex-VAT
------------	---------------	-------------------	------------	----------------	--------------	--------------------------------	-------------------

Legend: - = information not supplied; na = not available; poa = price on application

CASE-IH

RB344 Rotor Feeder	1.25m	Stub augers, spiral rotor	No	Base roller, two chains + slats	Three-stage, springs, tailgate pressure	2,775kg/na	£25,405
RB344 Rotor Cutter	1.25m	Stub augers, spiral rotor + 15 knives	No	Base roller, two chains + slats	Three-stage, springs, tailgate pressure	4,810kg/na	£28,325
RB545 Rotor Cutter	1.25m	Stub augers, spiral rotor + 20 knives	Std	18 rollers	Hydraulic, springs, tailgate pressure	3,060kg/na	£43,319
RB545 Rotor Cutter Silage Pack	1.25m + wrap	Stub augers, spiral rotor + 20 knives	Std	18 rollers	Hydraulic, springs, tailgate pressure	na/4,500kg	£76,748
RB455 VC Overshot Feeder	0.9-1.5m	Overshot spiral rotor/auger	No	Four belts	One or two hydraulic cylinders, spring	3,080kg/na	£31,828
RB455 VC Rotor Cutter	0.9-1.5m	Stub augers, optional paddle feeder/auger, spiral rotor	Std	Four belts	One or two hydraulic cylinders, springs	3,561kg/na	£45,149
RB455 VC Rotor Feeder	0.9-1.5m	Stub augers, optional paddle feeder/auger, spiral rotor + 15 knives	Std	Four belts	One or two hydraulic cylinders, springs	3,401kg/na	£36,652
RB465 VC Overshot Feeder	0.9-1.8m	Overshot spiral rotor/auger	No	Four belts	One or two hydraulic cylinders, springs	3,300kg/na	£35,780
RB465 VC Rotor Cutter	0.9-1.8m	Stub augers, optional paddle feeder/auger, spiral rotor	Yes	Four belts	One or two hydraulic cylinders, springs	3,775kg/na	£48,322
RB465 VC Rotor Feeder	0.9-1.8m	Stub augers, optional paddle feeder/auger, spiral rotor + 15 knives	Std	Four belts	One or two hydraulic cylinders, springs	3,615kg/na	£40,393

Note: Material entering the RB455 VC passes over rather than under the multi-tine rotor. RB545 Rotor Cutter Silage Pack baler-wrappers can apply net or pre-wrapping plastic film; all Silage Pack models have 750mm film dispensers on two horizontal orbital arms.

CLAAS

NEW MODELS

Rollant 520 Rake	1.25m	Stub augers, underfloor feeding tines	No	16 rollers	Hydraulic, tailgate pressure	-/na	£24,360
Rollant 520 Roto Feed	1.25m	Stub augers, spiral rotor	No	16 rollers	Hydraulic, tailgate pressure	-/na	£27,390
Rollant 540 Roto Feed	1.2m	Stub augers, spiral rotor	Std	15 rollers	Hydraulic, tailgate pressure	3,350kg/na	£34,990
Rollant 540 Roto Cut	1.2m	Stub augers, spiral rotor + 15 knives	Std	15 rollers	Hydraulic, tailgate pressure	3,350kg/na	£40,020
Rollant 540 Roto Cut Comfort	1.2m	Stub augers, spiral rotor + 15 knives	Std	15 rollers	Hydraulic, tailgate pressure	3,350kg/na	£41,660
Rollant 455 Roto Cut MPS Uniwrap	1.2m + wrap	Stub augers, spiral rotor + 16 knives	Std	16 rollers	Hydraulic, tailgate pressure, inner pivoting top three rollers	5,500kg/na	£67,060
Rollant 454 Roto Cut	1.2m	Stub augers, spiral rotor + 25 knives	Std	16 rollers	Hydraulic, tailgate pressure	3,600kg/na	£45,620
Rollant 455 Roto Cut MPS	1.2m	Stub augers, spiral rotor + 25 knives	Std	16 rollers	Hydraulic, tailgate pressure, inner pivoting top three rollers	3,600kg/na	£47,780
Variant 460 Roto Feed PRO	0.9-1.55m	Stub augers, spiral rotor	Std	Four belts	Hydraulic and spring belt tension	2,950kg/na	£40,170
Variant 465 Roto Cut PRO	0.9-1.55m	Stub augers, spiral rotor + 14 knives	Std	Four belts	Hydraulic and spring belt tension	2,950kg/na	£42,310
Variant 480 Roto Feed PRO	0.9-1.8m	Stub augers, spiral rotor	Std	Four belts	Hydraulic and spring belt tension	2,950kg/na	£43,910
Variant 485 Roto Cut PRO	0.9-1.8m	Stub augers, spiral rotor + 14 knives	Std	Four belts	Hydraulic and spring belt tension	2,950kg/na	£45,970

Note: Rollant 540 models can apply stretch film in place of net. Uniwrap has 750mm 67% or 82% pre-stretch film dispensers on two horizontal orbital arms.

FENDT

ADDITIONAL MODELS

Rotana 130 F	1.25m	Stub augers, spiral rotor	No	18 rollers	Latched tailgate	3,000kg/na	£29,929
Rotana 130 F XtraCut 13	1.25m	Stub augers, spiral rotor + 13 knives	Std	18 rollers	Latched tailgate	3,400kg/na	£39,231
Rotana 130 F XtraCut 17	1.25m	Stub augers, spiral rotor + 17 knives	Std	18 rollers	Latched tailgate	3,400kg/na	£42,026

ULTIMATE GUIDE COMBINES AND BALERS

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density	Weight - single axle/twin axle	List price ex-VAT
Rotana 130 F XtraCut 25	1.25m	Stub augers, spiral rotor + 25 knives	Std	18 rollers	Latched tailgate	3,400kg/na	£43,547
Rotana 130 F Combi XtraCut 13	1.25m + wrap	Stub augers, spiral rotor + 13 knives	Std	18 rollers	Latched tailgate	6,450kg/na	£85,540
Rotana 130 F Combi XtraCut 17	1.25m + wrap	Stub augers, spiral rotor + 17 knives	Std	18 rollers	Latched tailgate	6,450kg/na	£88,335
Rotana 130 F Combi XtraCut 25	1.25m + wrap	Stub augers, spiral rotor + 25 knives	Std	18 rollers	Latched tailgate	6,450kg/na	£89,856
4160 V	0.7-1.6m	Stub augers, spiral rotor	No	Three rollers, four belts	Springs, then hydraulic	3,950kg/na	£33,806
4160 V XtraCut 13	0.7-1.6m	Stub augers, spiral rotor + 13 knives	Std	Three rollers, four belts	Springs, then hydraulic	4,120kg/na	£42,631
4160 V XtraCut 17	0.7-1.6m	Stub augers, spiral rotor + 17 knives	Std	Three rollers, four belts	springs, then hydraulic	4,120kg/na	£45,426
4160 V XtraCut 25	0.7-1.6m	Stub augers, spiral rotor + 25 knives	Std	Three rollers, four belts	Springs, then hydraulic	4,120kg/na	£46,947
Rotana 160 V XtraCut 13 Combi	0.7-1.6m + wrap	Stub augers, spiral rotor + 13 knives	Std	Three rollers, four belts	Springs, then hydraulic	6,550kg/na	£89,186
Rotana 160 V XtraCut 17 Combi	0.7-1.6m + wrap	Stub augers, spiral rotor + 17 knives	Std	Three rollers, four belts	Springs, then hydraulic	6,550kg/na	£91,981
Rotana 160 V XtraCut 25 Combi	0.7-1.6m + wrap	Stub augers, spiral rotor + 25 knives	Std	Three rollers, four belts	Springs, then hydraulic	6,550kg/na	£93,502
4180 V	0.7-1.8m	Stub augers, spiral rotor	Std	Three rollers, four belts	Springs, then hydraulic	4,200kg/na	£37,564
Rotana 180 V XtraCut 13	0.7-1.8m	Stub augers, spiral rotor + 13 knives	Std	Three rollers, four belts	Springs, then hydraulic	-/na	£46,398
Rotana 180 V XtraCut 17	0.7-1.8m	Stub augers, spiral rotor + 17 knives	Std	Three rollers, four belts	Springs, then hydraulic	-/na	£48,533
Rotana 180 V XtraCut 25	0.7-1.8m	Stub augers, spiral rotor + 25 knives	Std	Three rollers, four belts	Springs, then hydraulic	-/na	£50,714

Note: Combi wrapping models have two 500mm or 750mm pre-stretch film dispensers on horizontal steel ring driven hydraulic motor powered rubber friction drive wheels.

JOHN DEERE

F441M Multicrop RotoFlow HC	1.25-1.35m	Spiral rotor/auger	Opt	Seven rollers, two chains + slats	Hydraulic, tailgate pressure	4,200kg/na	£36,922
F441M Multicrop Maxicut HC 13	1.25-1.35m	Spiral rotor/auger + 13 knives	Std	Seven rollers, two chains + slats	Hydraulic, tailgate pressure	4,200kg/na	£40,675
F441M Silage Special RotoFlow HC	1.25-1.35m	Spiral rotor/auger	Std	17 rollers	Hydraulic, tailgate pressure	4,200kg/na	£36,922
F441M Silage Special Maxicut HC 13	1.25-1.35m	Spiral rotor/auger + 13 knives	Std	17 rollers	Hydraulic, tailgate pressure	4,200kg/na	£40,675
F441R Maxicut HC 13	1.25-1.35m	Spiral rotor/auger + 13 knives	Std	18 rollers	Hydraulic, tailgate pressure	4,200kg/na	£48,471
F441R Maxicut HC 25	1.25-1.35m	Spiral rotor/auger + 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	4,200kg/na	£51,928
C441R Maxicut HC 13	1.25-1.35m + wrap	Spiral rotor/auger + 13 knives	Std	18 rollers	Hydraulic, tailgate pressure	5,870kg/ 6,500kg	£93,310/ £97,738
C441R Maxicut HC 25	1.25-1.35m + wrap	Spiral rotor/auger + 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	5,870kg/ 6,500kg	£96,339/ £100,767
V451G RotoFlow HC	1.0-1.65m	Spiral rotor/auger	No	Six belts, three rollers	Hydraulic cylinders	3,700kg/na	£41,006
V451M RotoFlow HC	1.0-1.65m	Spiral rotor/auger	Std	Six belts, three rollers	Hydraulic cylinders	4,000kg/na	£44,622
V451M MaxiCut HC 13 Premium	1.0-1.65m	Spiral rotor/auger + 13 knives	Std	Six belts, three rollers	Hydraulic cylinders	4,000kg/na	£48,322
V461M RotoFlow HC	0.8-1.6m	Spiral rotor/auger	Std	Six belts, three rollers	Hydraulic cylinders	4,200kg/na	£48,982
V461M MaxiCut HC 13 Premium	0.8-1.6m	Spiral rotor/auger + 13 knives	Std	Six belts, three rollers	Hydraulic cylinders	4,200kg/na	£52,682
V451R RotoFlow HC Premium	0.8-1.6m	Spiral rotor/auger	Std	Two belts, three rollers	Hydraulic cylinders, springs	4,440kg/na	£57,445
V451R MaxiCut HC 13 Premium	0.8-1.6m	Spiral rotor/auger + 13 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	4,440kg/na	£59,909
V451R MaxiCut HC 25 Premium	0.8-1.6m	Spiral rotor/auger + 25 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	4,440kg/na	£65,982
V461R RotoFlow HC Premium	0.8-1.85m	Spiral rotor/auger	Std	Two belts, three rollers	Hydraulic cylinders, springs	4,740kg/na	£61,726
V461R MaxiCut HC 13 Premium	0.8-1.85m	Spiral rotor/auger + 13 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	4,740kg/na	£65,213
V461R MaxiCut HC 25 Premium	0.8-1.85m	Spiral rotor/auger + 25 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	4,740kg/na	£72,867
C451R Maxicut HC 13 Premium	0.8-1.6m + wrap	Spiral rotor/auger + 13 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	na/8,500kg	£108,068
C451R Maxicut HC 25 Premium	0.8-1.6m + wrap	Spiral rotor/auger + 25 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	na/8,500kg	£112,341
C461R Maxicut HC 13 Premium	0.8-1.85m + wrap	Spiral rotor/auger + 13 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	na/9,000kg	poa

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density	Weight - single axle/twin axle	List price ex-VAT
C461R Maxicut HC 25 Premium	0.8-1.85m + wrap	Spiral rotor/auger + 25 knives	Std	Two belts, three rollers	Hydraulic cylinders, springs	na/9,000kg	poa

Note: "C" wrapping balers have 750mm film dispensers on two horizontal orbital arms. "VR" balers have curtain bale release.

KRONE

Bellima F 130	1.2m	Stub augers, underfloor feeding tines	No	One roller, two chains + slats	Latched tailgate	1,730kg/na	£35,485
Comprima F 125 XC	1.25m	Stub augers, spiral rotor + 17 knives	Std	Three rollers, two belts + slats	Coil springs	3,200kg/ 3,400kg	£46,725/ £51,810
Comprima F 155 XC	1.25-1.5m*	Stub augers, spiral rotor + 17 knives	Std	Three rollers, two belts + slats	Coil springs	3,450kg/ 3,650kg	£48,765/ £53,850
Comprima F 155 XC Plus	1.25-1.5m*	Stub augers, spiral rotor + 26 knives	Std	Three rollers, two belts + slats	Coil springs	3,500kg/ 3,700kg	poa
Comprima CF 155 XC	1.25-1.5m* + wrap	Stub augers, spiral rotor + 17 knives	Std	Three rollers, two belts + slats	Coil springs	na/7,100kg	£87,260
Comprima CF 155 XC Plus	1.25-1.5m* + wrap	Stub augers, spiral rotor + 26 knives	Std	Three rollers, two belts + slats	Coil springs	na/7,195kg	£96,160
Comprima V 150	1.0-2.05m	Stub augers, spiral rotor	Std	Three rollers, two belts + slats	Hydraulic tensioning arms	4,250kg/ 4,450kg	£48,480/ £49,565
Comprima V 150 XC	1.0-2.05m	Stub augers, spiral rotor + 17 knives	Std	Three rollers, two belts + slats	Hydraulic tensioning arms	4,400kg/ 4,600kg	£56,765/ £61,850
Comprima V 180 XC	1.0-1.8m	Stub augers, spiral rotor + 17 knives	Std	Three rollers, two belts + slats	Hydraulic tensioning arms	4,750kg/ 4,950kg	£56,255/ £61,340
Comprima CV 150 XC	1.0-2.05m + wrap	Stub augers, spiral rotor + 17 knives	Std	Three rollers, two belts + slats	Hydraulic tensioning arms	na/7,500kg	£92,935
Comprima CV 150 XC Plus	1.0-2.05m + wrap	Stub augers, spiral rotor + 26 knives	Std	Three rollers, two belts + slats	Hydraulic tensioning arms	na/7,595kg	£102,045

Note: *F 155 and CF 155 bale diameter set at one of six diameters in 5cm increments between 1.25m and 1.5m; CF 155 and CV 150 wrappers have 500mm or 750mm, 50% or 70% pre-stretch film dispensers on horizontal orbital arms, and can be fitted with a bale weighing system.

KUBOTA

BF 3255 R	1.25m	Stub augers, spiral rotor	Std	17 rollers	Hydraulic	2,620kg/na	£32,392
BF 3255 SuperCut 14	1.25m	Stub augers, spiral rotor + 14 knives	Std	17 rollers	Hydraulic	2,900kg/na	£35,032
BV 5160 R PowerFeed	0.6-1.65m	Stub augers, spiral rotor	Std	Five belts	Two hydraulic cylinders, two springs	2,990kg/na	£37,593
BV 5160 SuperCut 14	0.6-1.65m	Stub augers, spiral rotor + 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	2,990kg/na	£40,360
BV 5160 SuperCut 14 FlexiWrap	0.6-1.65m + wrap	Stub augers, spiral rotor + 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	na/6,050kg	£94,507
BV 5200 PowerFeed	0.6-2.0m	Stub augers, spiral rotor	Std	Five belts	Two hydraulic cylinders, two springs	3,340kg/na	£44,113
BV 5200 SuperCut 14	0.6-2.0m	Stub augers, spiral rotor + 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	3,340kg/na	£46,879

Note: BV 5160 FlexiWrap model has two 750mm pre-stretch film dispensers on hydraulically driven overhead vertical orbital arms.

KUHN

FB 3130 OptiFeed	1.25m	Spiral rotor/auger	Std	18 rollers	Hydraulic, tailgate pressure	3,300kg/na	£35,454
FB 3130 OptiCut 14	1.25m	Spiral rotor/auger + 14 knives	Std	18 rollers	Hydraulic, tailgate pressure	3,300kg/na	£38,299
FB 3135 OptiCut 14	1.25m	Spiral rotor/auger + 14 knives	Std	18 rollers	Hydraulic, tailgate pressure	3,300kg/na	£41,293
FB 3135 OptiCut 23	1.25m	Spiral rotor/auger + 23 knives	Std	18 rollers	Hydraulic, tailgate pressure	3,400kg/na	£44,123
FB 3135 Automate OptiCut 14	1.25m	Spiral rotor/auger + 14 knives	Std	18 rollers	Hydraulic, tailgate pressure	3,300kg/na	£44,080
FB 3135 Automate OptiCut 23	1.25m	Spiral rotor/auger + 23 knives	Std	18 rollers	Hydraulic, tailgate pressure	3,400kg/na	£46,910
FBP 3135 Automate BalePack OptiCut 14	1.22m + wrap	Spiral rotor/auger + 14 knives	Std	18 rollers	Hydraulic, tailgate pressure	na/5,600kg	£75,241
FBP 3135 Automate BalePack OptiCut 23	1.22m + wrap	Spiral rotor/auger + 23 knives	Std	18 rollers	Hydraulic, tailgate pressure	na/5,600kg	£78,071
i-BIO+ OptiCut 14	1.25m + wrap	Spiral rotor/auger + 14 knives	Std	18 rollers	Hydraulic, tailgate pressure	3,700kg/na	£59,781
i-BIO+ OptiCut 23	1.25m + wrap	Spiral rotor/auger + 23 knives	Std	18 rollers	Hydraulic, tailgate pressure	3,800kg/na	£62,611
VB 3160 OptiFeed	0.8-1.6m	Spiral rotor/auger	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	3,040kg/na	£37,047
VB 3160 OptiCut 14	0.8-1.6m	Spiral rotor/auger + 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	3,240kg/na	£38,278
VB 3165 OptiFeed	0.8-1.6m	Spiral rotor/auger	Std	Two rollers, five belts	One hydraulic cylinder, spring tensioner	3,220kg/na	£40,318
VB 3165 OptiCut 14	0.8-1.6m	Spiral rotor/auger + 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	3,420kg/na	£42,042
VB 3165 OptiCut 23	0.8-1.6m	Spiral rotor/auger + 23 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	3,420kg/na	£44,872

ULTIMATE GUIDE COMBINES AND BALERS

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density	Weight - single axle/twin axle	List price ex-VAT
VBP 3165 BalePack OptiCut 14	0.8-1.6m	Spiral rotor/auger + 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	na/5,650kg	£80,458
VBP 3165 BalePack OptiCut 23	0.8-1.6m	Spiral rotor/auger + 23 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	na/5,650kg	£83,288
VB 3190 OptiFeed	0.8-1.85m	Spiral rotor/auger	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	3,090kg/na	£41,269
VB 3190 OptiCut 14	0.8-1.85m	Spiral rotor/auger + 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	3,290kg/na	£44,064
VB 3195 OptiFeed	0.8-1.85m	Spiral rotor/auger	Std	Two rollers, five belts	One hydraulic cylinder, spring tensioner	3,270kg/na	£44,560
VB 3195 OptiCut 14	0.8-1.85m	Spiral rotor/auger + 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	3,470kg/na	£47,856
VB 3195 OptiCut 23	0.8-1.85m	Spiral rotor/auger + 23 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	3,470kg/na	£50,686
VBP 3195 BalePack OptiCut 14	0.8-1.85m	Spiral rotor/auger + 14 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	na/5,710kg	£82,345
VBP 3195 BalePack OptiCut 23	0.8-1.85m	Spiral rotor/auger + 23 knives	Std	Three rollers, five belts	Two hydraulic cylinders, spring tensioner	na/5,755kg	£85,175

Note: FBP and VBP BalePack wrapping models have two 750mm pre-stretch film dispensers mounted on overhead hydraulic motor driven orbital arms; i-BIO+ has two 750mm pre-stretch film dispensers mounted on a ring within the bale formation chamber. FBP circumference stretch film binding option - new FB £8,115 (including Automate), FBP £6,388, i-BIO+ £5,545. FBP 3-D wrapping option £3,877.

MASSEY FERGUSON

RB 3130F Classic	1.25m	Stub augers, spiral rotor	No	18 rollers	Latched tailgate	3,000kg /na	£30,919
RB 3130F Xtra	1.25m	Stub augers, spiral rotor	Std	18 rollers	Latched tailgate	3,200kg/na	£38,233
RB 3130F Xtracut 13	1.25m	Stub augers, spiral rotor + 13 knives	Std	18 rollers	Latched tailgate	3,400kg/na	£40,130
RB 3130F Xtracut 17	1.25m	Stub augers, spiral rotor + 17 knives	Std	18 rollers	Latched tailgate	3,400kg/na	£42,898
RB 3130F Xtracut 25	1.25m	Stub augers, spiral rotor + 25 knives	Std	18 rollers	Latched tailgate	3,400kg/na	£44,419
RBC 3130F Xtracut 13 Protec	1.25m + wrap	Stub augers, spiral rotor + 13 knives	Std	18 rollers	Latched tailgate	6,450kg/na	£87,989
RBC 3130F Xtracut 17 Protec	1.25m + wrap	Stub augers, spiral rotor + 17 knives	Std	18 rollers	Latched tailgate	6,450kg/na	£90,784
RBC 3130F Xtracut 25 Protec	1.25m + wrap	Stub augers, spiral rotor + 25 knives	Std	18 rollers	Latched tailgate	6,450kg/na	£92,305
RB 4160V Classic	0.9-1.6m	Stub augers, spiral rotor	No	Three rollers, four belts	Springs, then hydraulic	3,950kg/na	£34,796
RB 4160V Xtra	0.9-1.6m	Stub augers, spiral rotor	Std	Three rollers, four belts	Springs, then hydraulic	3,950kg/na	£41,633
RB 4160V Xtracut 13	0.9-1.6m	Stub augers, spiral rotor + 13 knives	Std	Three rollers, four belts	Springs, then hydraulic	3,950kg/na	£43,503
RB 4160V Xtracut 17	0.9-1.6m	Stub augers, spiral rotor + 17 knives	Std	Three rollers, four belts	Springs, then hydraulic	3,950kg/na	£46,298
RB 4160V Xtracut 25	0.9-1.6m	Stub augers, spiral rotor + 25 knives	Std	Three rollers, four belts	Springs, then hydraulic	3,950kg /na	£47,819
RBC 4160V Protec Xtracut 13	0.9-1.6m + wrap	Stub augers, spiral rotor + 13 knives	Std	Three rollers, four belts	Springs, then hydraulic	6,550kg/na	£91,634
RBC 4160V Protec Xtracut 17	0.9-1.6m + wrap	Stub augers, spiral rotor + 17 knives	Std	Three rollers, four belts	Springs, then hydraulic	6,550kg/na	£94,429
RBC 4160V Protec Xtracut 25	0.9-1.6m + wrap	Stub augers, spiral rotor + 25 knives	Std	Three rollers, four belts	Springs, then hydraulic	6,550kg/na	£95,950
RB 4180V Classic	0.9-1.8m	Stub augers, spiral rotor	No	Three rollers, four belts	Springs, then hydraulic	4,200kg/na	£38,554
RB 4180V Xtra	0.9-1.8m	Stub augers, spiral rotor	Std	Three rollers, four belts	Springs, then hydraulic	4,200kg/na	£45,400
RB 4180V Xtracut 13	0.9-1.8m	Stub augers, spiral rotor + 13 knives	Std	Three rollers, four belts	Springs, then hydraulic	4,200kg/na	£47,270
RB 4180V Xtracut 17	0.9-1.8m	Stub augers, spiral rotor + 17 knives	Std	Three rollers, four belts	Springs, then hydraulic	4,200kg/na	£50,065
RB 4180V Xtracut 25	0.9-1.8m	Stub augers, spiral rotor + 25 knives	Std	Three rollers, four belts	Springs, then hydraulic	4,200kg/na	£51,586

Note: Protec wrapping models have two 750mm pre-stretch film dispensers on horizontal steel ring driven hydraulic motor powered rubber friction drive wheels

MCHALE

F5400	1.25m	Stub augers, spiral rotor	Std	18 rollers	Hydraulic, tailgate pressure	3,260kg /na	£32,243
F5500	1.25m	Stub augers, spiral rotor + 15 knives	Std	18 rollers	Hydraulic, tailgate pressure	3,500kg/na	£39,043
F5600	1.25m	Stub augers, spiral rotor + 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	3,700kg/na	£44,746
F5600 Plus	1.25m	Stub augers, spiral rotor + 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	3,850kg/na	£51,507
Fusion 3	1.25m + wrap	Stub augers, spiral rotor + 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	5,500kg/na	£66,116

ULTIMATE GUIDE COMBINES AND BALERS

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density	Weight - single axle/twin axle	List price ex-VAT
Fusion 3 Pro	1.25m + wrap	Stub augers, spiral rotor + 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	5,550kg/na	£70,676
Fusion 3 Plus	1.25m + wrap	Stub augers, spiral rotor + 25 knives	Std	18 rollers	Hydraulic, tailgate pressure	5,650kg/na	£72,862
V660 15	0.6-1.68m	Stub augers, spiral rotor + 15 knives	Std	One or three belts	Hydraulic, latched tailgate	4,000kg/na	£44,915
V660 25	0.6-1.68m	Stub augers, spiral rotor + 25 knives	Std	One or three belts	Hydraulic, latched tailgate	4,000kg/na	poa
Fusion Vario 15	0.60-1.68m + wrap*	Stub augers, spiral rotor + 15 knives	Std	One belt	Hydraulic, latched tailgate	6,500kg/na	£74,351
Fusion Vario 25	0.60-1.68m + wrap*	Stub augers, spiral rotor + 25 knives	Std	One belt	Hydraulic, latched tailgate	6,500kg/na	poa

Note: 'Plus' models can apply stretch film instead of net to the circumference of the bale; Fusion wrapping models have two 750mm pre-stretch film dispensers on a hydraulically-driven vertical ring; Fusion 3 Pro adds faster wrapping speeds, remote camera, in-cab net and density adjustment and 7in touch screen monitor. * Fusion Vario will make and wrap bales of haylage and silage from 1.1-1.45m diameter.

METAL-FACH (ZETOR)

Z562-0	1.2m	Stub augers, reciprocating forks	No	16 rollers	Hydraulic, tailgate pressure	2,200kg/na	£16,778
Z562-1 Rotor	1.2m	Stub augers, spiral rotor	No	16 rollers	Hydraulic, tailgate pressure	2,300kg/na	£18,937
Z562-2 Rotor Cutter	1.2m	Stub augers, spiral rotor + 13 knives	No	16 rollers	Hydraulic, tailgate pressure	2,400kg/na	£19,993
Z562-40 Rotor Cutter	1.2m	Stub augers, spiral rotor + 13 knives	No	18 rollers	Hydraulic, tailgate pressure	2,400kg/na	poa

NEW HOLLAND

Roll-Bar BR6090 CropCutter	1.25m	Stub augers, spiral rotor + 15 knives	No	Two rollers, two chains + slats	Hydraulic, tailgate pressure	2,775kg/na	£26,579
Roll Baler 125	1.25m	Stub augers, spiral rotor + 20 knives	Std	18 rollers	Hydraulic, tailgate pressure	3,060kg/na	£40,962
Roll Baler 125 Combi	1.25m + wrap	Stub augers, spiral rotor + 20 knives	Std	18 rollers	Hydraulic, tailgate pressure	na/4,800kg	£71,696
Roll-Belt 150 SuperFeed	0.9-1.5m	Stub augers, optional paddle feeder/auger, spiral rotor	Opt	Three rollers, four belts	Two or four hydraulic cylinders	3,715kg/na	£36,171
Roll-Belt 150 CropCutter	0.9-1.5m	Stub augers, optional paddle feeder/auger, spiral rotor + 15 knives	Std	Three rollers, four belts	Two or four hydraulic cylinders	3,715kg/na	£41,453
Roll-Belt 180 SuperFeed	0.9-1.8m	Stub augers, optional paddle feeder/auger, spiral rotor	Opt	Three rollers, four belts	Two or four hydraulic cylinders	3,815kg/na	£39,727
Roll-Belt 180 CropCutter	0.9-1.8m	Stub augers, optional paddle feeder/auger, spiral rotor + 15 knives	Std	Three rollers, four belts	Two or four hydraulic cylinders	3,815kg/na	£44,484

Note: Roll Baler 125 Combi can apply stretch film instead of net to the circumference of the bale; Combi wrapping models have two 750mm pre-stretch film dispensers mounted on hydraulically driven overhead orbital arms.

POTTINGER

Impress 125 F Master	1.25m	Twin stub augers, double v rotor + 16 knives	Std	18 rollers	Hydraulic, tailgate pressure	4,750kg/5,400kg	£51,092
Impress 125 F Pro	1.25m	Twin stub augers, double v rotor + 32 knives	Std	18 rollers	Hydraulic, tailgate pressure	4,850kg/5,500kg	£61,660
Impress 125 FC Pro	1.25m + wrap	Twin stub augers, double v rotor + 32 knives	Std	18 rollers	Hydraulic, tailgate pressure	na/7,540kg	£100,590
Impress 155 V	0.8-1.55m	Twin stub augers, double v rotor	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	4,500kg/ 5,150kg	£53,933
Impress 155 V Master	0.8-1.55m	Twin stub augers, double v rotor + 16 knives	Std	Three rollers, three belts	Hydraulic via belt tensioning arm	4,750kg/5,400kg	£57,522
Impress 155 V Pro	0.8-1.55m	Twin stub augers, double v rotor + 32 knives	Std	Three rollers, three belts	Hydraulic via belt tensioning arm	4,850kg/5,500kg	£69,641
Impress 155 VC Pro	0.8-1.55m + wrap	Twin stub augers, double v rotor + 32 knives	Std	Three rollers, three belts	Hydraulic via belt tensioning arm	na/7,540kg	£108,953
Impress 185 V	0.9-1.85m	Twin stub augers, double v rotor	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	4,600kg/5,250kg	£57,638
Impress 185 V Master	0.9-1.85m	Twin stub augers, double v rotor + 16 knives	Std	Three rollers, three belts	Hydraulic via belt tensioning arm	4,850kg/5,500kg	£61,523
Impress 185 V Pro	0.9-1.85m	Twin stub augers, double v rotor + 32 knives	Std	Three rollers, three belts	Hydraulic via belt tensioning arm	4,950kg/5,600kg	£72,752
Impress 185 VC Pro	0.9-1.85m + wrap	Twin stub augers, double v rotor + 32 knives	Std	Four rollers, three belts	Hydraulic via belt tensioning arm	na/7,900kg	£113,489

Note: Incoming material passes over rather than under the double V intake rotor; crop slicing knives where fitted are positioned accordingly. FC Pro and VC Pro wrapping models have 750mm pre-stretch film dispensers on hydraulically-driven underside orbital arms.

VICON

RF 4325 SuperFeed	1.25m	Stub augers, spiral rotor	Std	17 rollers	Hydraulic, tailgate pressure	2,840kg/na	£32,392
-------------------	-------	---------------------------	-----	------------	------------------------------	------------	---------

Make/model	Bale diameter	Feed-in mechanism	Drop floor	Bale formation	Bale density	Weight - single axle/twin axle	List price ex-VAT
RF 4325 SuperCut 14	1.25m	Stub augers, spiral rotor + 14 knives	Std	17 rollers	Hydraulic, tailgate pressure	3,040kg/na	£35,032
FastBale Baler-Wrapper	1.25m + wrap	Stub augers, spiral rotor + 25 knives	Std	14 rollers, 17 rollers*	Hydraulic, tailgate pressure	7,500kg/na	£110,080
RV 5216 SuperFeed	0.6-1.65m	Stub augers, spiral rotor	Std	Five belts	Two hydraulic cylinders, two springs	2,990kg/na	£37,593
RV 5216 SuperCut 14	0.6-1.65m	Stub augers, spiral rotor + 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	2,990kg/na	£40,360
RV 5216 SuperCut 14 FlexiWrap	0.6-1.65m + wrap	Stub augers, spiral rotor + 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	na/6,050kg	£94,507
RV 5220 SuperFeed	0.6-2.0m	Stub augers, spiral rotor	Std	Five belts	Two hydraulic cylinders, two springs	3,340kg/na	£44,113
RV 5220 SuperCut 14	0.6-2.0m	Stub augers, spiral rotor + 14 knives	Std	Five belts	Two hydraulic cylinders, two springs	3,340kg/na	£46,879

Note: *FastBale - grass accumulated in 14-roller pre-chamber during net application is transferred to 17-roller (3 rollers shared) main chamber for completion during non-stop operation; wrapping by two 750mm pre-stretch film dispensers mounted on hydraulically-driven overhead vertical orbital arms. RV 5216 FlexiWrap has two 750mm pre-stretch film dispensers on hydraulically-driven overhead vertical orbital arms